

NOV 09 2006

Facsimile Cover

CALFEE

Date: November 9, 2006
To: Office of Initial Patent Examination Filing Receipt Corrections
Fax Number: 571-273-8300
Send Only to the Above Fax Number: X
Confirmation Phone Number: 216-241-0816

From: Kenneth J. Smith
Direct Dial Phone Number: 216.622.8674

Calfee, Halter & Griswold LLP

1400 McDonald Investment Center
800 Superior Avenue
Cleveland, Ohio 44114-2688
216.622.8200 Phone
216.241.0816 Fax

1100 Fifth Third Center
21 East State Street
Columbus, Ohio 43215-4243
614.621.1500 Phone
614.621.0010 Fax
www.calfeg.com

Client Number: 22188 Matter Number: 07020 Client Name: Swagelok Company

Number of Pages: 3

Message:

Appl. No.	:	10/534,776	Confirmation No. not yet assigned
Applicant	:	Argo et al.	
Filed	:	May 13, 2005	
Title	:	DRAINABLE TUBE AND PIPE FITTING	
TC/A.U.	:	not yet assigned	Examiner: not yet assigned
Docket No.	:	22188/07020	Customer No. 24024

Please find attached a Request for Issuance of Filing Receipt and Request for First Action Prediction.

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this paper is being facsimile transmitted to 571-273-8300 addressed to: Commissioner for Patents, Office of Initial Patent Examination, P.O. Box 1450, Alexandria, Virginia, 22313, on this 9th day of November, 2006.

Karen Buzinski
Karen Buzinski

This facsimile transmission contains confidential and/or legally privileged information from the law firm of Calfee, Halter & Griswold LLP intended only for the use of the individual(s) named on the transmission sheet. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or the taking of any action in reliance on the contents of this facsimile transmission is strictly prohibited. If you have received this transmission in error, please notify us by telephone immediately so that we can arrange for the return of the documents to us at no cost to you.

If there is a problem with this transmission, please contact the Fax Department at: 216.622.8426, 216.622.8427, or 216.622.8428. Facsimiles can be received 24 hours per day, 7 days a week at 216.241.0816. Thank You.

Fax Operator's Initials:

Sent By:

Time:

Logged By:

Time:

RECEIVED
CENTRAL FAX CENTER

NOV 09 2006

Customer Number

24024

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this paper is being facsimile transmitted to 571-273-8300 addressed to: Commissioner for Patents, Office of Initial Patent Examination, P.O. Box 1450, Alexandria, Virginia, 22313, on this 9th day of November, 2006.


Karen Buzinski

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No. : 10/534,776 Confirmation No. not yet assigned
Applicant : Argo et al.
Filed : May 13, 2005
Title : **DRAINABLE TUBE AND PIPE FITTING**
TC/A.U. : Not yet assigned Examiner: not yet assigned
Docket No. : 22188/07020 Customer No. 24024

VIA FACSIMILE 571-273-8300

Office of Initial Patent Examination's Filing Receipt Corrections
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR ISSUANCE OF FILING RECEIPT AND REQUEST FOR FIRST ACTION PREDICTION

Sir:

Applicants' attorney respectfully submits that the above-identified patent application was filed with the U.S. Patent Office on May 13, 2005 as Express Mail Label No. EV284564914US. and to date, no filing receipt has been received. Since the above-identified patent application was filed approximately eighteen (18) months ago, Applicants' attorney respectfully requests issuance of a filing receipt including assigning this patent application to the appropriate Group Art Unit and assignment of the application to an Examining Attorney. Applicants' attorney also requests a first action prediction since this application was filed approximately eighteen (18) months ago.

RECEIVED
CENTRAL FAX CENTER

NO. 2503 P. 3/3

NOV 09 2006

NOV. 9. 2006 3:15PM

CALFEE HALTER GRISWOLD

Appl. No. 10/534,776

Applicants' attorney also respectfully requests that the PAIR website be updated with all newly assigned information for this application.

Respectfully submitted,

Date: 11/9/06

Ken Smith
Kenneth J. Smith, Reg. No. 45,115
Telephone: 216-622-8674
Customer No. 24024